



GIRBAU

RANGE OF PRODUCTS
FOR PROFESSIONAL LAUNDRIES

GENIUS SERIES Professional WASHING MACHINES



Extract power reaching a G-force of up to 450. The Care Plus drum design prevents tangling, treats the fabric better, and extracts water faster. The 360 Vision pilot light visually warns operators of the status of a load from anywhere in the laundry. 10-inch screen with different interfaces according to the needs of each customer. IoT, WIFI, and BLE ready, with access to our Sapphire platform.

MODEL		GS7009	GS7013	GS7018
Capacity	kg 1/9	10	14	20
	kg 1/10	9	13	18
Controls		Genius		

HS 6 SERIES HIGH SPEED WASHING MACHINES



MODEL		HS6008	HS6013	HS6017	HS6024	HS6028	HS6032	HS6040 STAT/EASY LOAD/TILT	HS6057 STAT/EASY LOAD/TILT	HS6085 STAT/EASY LOAD/TILT	HS6110 STAT/EASY LOAD/TILT
Capacity	kg 1/9	9	14	19	27	31	36	44	63	95	122
	kg 1/10	8	13	17	24	28	32	40	57	85	110
Controls		Coin/Profit Plus/ Logi/Logi Pro	Coin / Profit Plus /Logi / Inteli			Inteli	Inteli / Coin / Profit Plus	Inteli			

Machines with Gdrive control and MDS suspension system, which does not require bolting down. Various types of control are available: Coin Control for coin-op services; Logi Control for OPL laundries, industrial laundries, and dry cleaners; Logi Pro and Inteli Control for those looking for flexibility and ease of use. Maximum extract speeds up to 400G.

RMS 6 SERIES HARD-MOUNT WASHING MACHINES Medium Spin Speed



MODEL		RMS610	RMS613	RMS617	RMS623	RMS628
Capacity	kg 1/9	11	14	19	25	31
	kg 1/10	10	13	17	23	28
Controls		Coin / Profit Plus / Logi				

Medium-speed hard-mounted machines that require anchoring. GDRIVE control. Various types of control are available: Coin Control and Profit Plus for vended laundries, Logi Control for industrial and OPL laundries.

RMG 6 SERIES HARD-MOUNT WASHING MACHINES Medium-High Spin Speed



MODEL		RMG613	RMG617	RMG623	RMG628
Capacity	kg 1/9	14	19	25	31
	kg 1/10	13	17	23	28
Controls		Coin / Profit Plus / Logi Pro			

Medium-high spin speed hard-mounted washing machines with GDRIVE control achieve extract speeds of 200 G. Available controls: Coin Control and Profit Plus for vended laundries, Logi Pro Control for industrial and OPL laundries.

LS SERIES HARD-MOUNT WASHING MACHINES Medium speed



MODEL		LS-332	LS-355
Capacity	kg 1/9	35	61
	kg 1/10	32	55
Controls		PM/CM	

The LS range of washing machines is sturdy, reliable, versatile, eco-friendly, and quiet. There are three control options to meet the precise needs of each customer.

BW SERIES WASHING MACHINES Sanitary barrier



MODEL		BW160	BW260	BW380	BW450	BW700	BW900	BW1200	BW1400	BW1700	BW2000	BW2300
Capacity	kg 1/9	18	29	42	51	77	100	133	155	189	222	256
	kg 1/10	16	26	38	45	70	90	120	140	170	200	230

Sanitary barrier washers. Loading and unloading are performed through separate doors to separate the clean area from the dirty area. They guarantee an excellent hygienic washing process by carrying out, with the utmost precision, all the programmed parameters: time, temperature, and the chemical product dosage.

ED SERIES ECODRYER DRYERS (cross flow)



MODEL		ED260	ED340	ED460	ED660	ED900	ED1250
Capacity	kg 1/25 - 1/20	10.4 - 13	13.6 - 17	18.4 - 23	26.4 - 33	36 - 45	50 - 62.5
Heating		Gas / Electric / Steam / Thermal oil*					

The ED series dryers optimize energy use and achieve excellent results in less time. They are easy to maintain because the filter is easy to clean. Due to their ergonomic design, the width of the door aids loading and unloading. The Care Touch Drum system ensures the linen is treated with care, with the holes in the drum being pressed in to prevent the linen from making contact with sharp edges. *Except ED260 / ED340

SLI SERIES GIRBAU TUMBLE DRYERS (axial flow)



MODEL		SLI-9 / SLI-9U	DD320
Capacity	kg	9	2 x 12.5
Heating		Gas / Electricity	Gas

The tumble dryers optimize drying whilst offering maximum energy efficiency. Its reliability and long life guarantee the laundry's profitability. Maximum ease of use for the operator.

DD DOUBLE DRYER STI SERIES TUMBLE DRYERS (radial flow)



MODEL		STI-54	STI-77
Capacity	kg	54	77
Heating		Gas / Electric / Steam / Thermal oil	

Efficient, environmentally friendly drying tumblers with a high capacity and built to last. They are equipped with a rotating reverse system which, together with the large door, guarantees easy and optimum unloading.

TBS50 BATCH WASHER



MODEL	TBS-50/5	TBS-50/6	TBS-50/7	TBS-50/8	TBS-50/9	TBS-50/10	TBS-50/11	TBS-50/12
-------	----------	----------	----------	----------	----------	-----------	-----------	-----------

Continuous batch washer, with a 50 kg capacity per module. Available from 5 to 12 modules, with outputs from 400 kg up to 1500 kg of clothes per hour. With three basic models -MULTI, HYGIEN, and FLEXI- multiple options and accessories, the TBS adapts to the different washing needs.

SPR50 WATER EXTRACTION PRESS



MODEL	SPR-50
-------	--------

Hydraulic press for water extraction in a continuous washing system for 50 kg batches of linen.

It offers a programmable pressure of up to 40 bar on the clothes.

The water extracted in the press is reused by the batch washer. The efficiency and the low energy consumption of the SPR-50 press save time and costs in the drying process.

ST SERIES DRYERS



MODEL	ST1302	ST2700
-------	--------	--------

The ST1302 and ST2700 dryers are designed to dry and condition cakes and loads of 63 kg and 135 kg (ratio 1/20). It provides added efficiency (using only 1.1 kWh per liter evaporated) and speed (3 to 4 cycles/hour). It saves energy, cares and extends the life of the linen, and accurately controls all the parameters of the drying cycle.

They stand out by their exclusive technology of axial air flow and transflow for increased performance, the Ecoflow, an integrated system for recirculating the drying air, and the Spirotilt, which enables fully automatic unloading without needing to use the turbine.

Available in gas, steam, and thermal oil heating.

PB/PBP SERIES WALL-TYPE FLATWORK IRONERS



MODEL		PB3215	PB3221	PB5119	PB5125	PB5132	PBP5119	PBP5125	PBP5132
Ø Cylinder	mm	325			510				
Speed	m/min	up to 11			up to 15				

Wall-type strap ironers with an outstanding evaporation capacity and a high ironing quality. They can be installed in a confined space. They are fitted with an intuitive and flexible control and ironing support systems that automate the processes to maximize productivity and effectiveness. Loading and unloading the linen at the front of the machine. The speed is adjusted to maintain the ironing temperature. PBP models, with primary folding, are fitted with sensors that automatically detect the linen's length and apply the selected fold. Gas, steam, or electric heating.

Compact PRO - IRONING SYSTEM




5in1



MODEL		COMPACT PRO 600	COMPACT PRO 800
Ø Cylinder	mm	600	800
Speed	m/min	4 - 12	4 - 15 (25 optional)

High output compact flatwork ironing line, which allows the linen to be fed, ironed, dried, folded, and stacked in a small space with a single operator. It allows the user to work with one, two, or four work lanes. Available in Standard option: cross folding on a single lane, or Multiline: cross folding on two lanes. Primary folds are performed by means of air blown and cross folds by blades. It includes a vacuum system on the table, which aids the feeding in of the linen and feeding clamps as an option. Gas, steam, or electric heating.

P SERIES WALL-TYPE IRONERS



MODEL		P-2510	P-2514
Ø Cylinder	mm	250	
Speed	m/min	2 - 4	

Perfect for ironing flat linen. The input and output of the linen from the front and its installation close to the wall allow the space in the laundry to be optimized to the full. A single operator can operate the machine using a foot pedal.

PC120 FLATWORK IRONERS



MODEL		PC12030-33-35/1	PC12030-33-35-42/2	PC-12030-33-35-42/3
Cylinders		1	2	3
Speed	m/min	5-50		

The most advanced flatwork ironer on the market, offering control, efficiency, performance, durability, and low-cost maintenance. Cylinder's diameter of 1200 mm, with the possibility to provide 1, 2, or 3 cylinders, which allows ironing speeds of 50 m/min. Gas, steam, and thermal oil heating.

PC80 FLATWORK IRONERS




MODEL		PC8030-33-35/1	PC8030-33-35/2	PC8030-33-35/3
Cylinders		1	2	3
Speed	m/min	5-45		

PC80 flatwork ironer is the result of more than 35 years of experience in the field of ironers manufacturing. Cylinder's diameter of 800 mm, with the option of 1, 2, or 3 cylinders. It allows ironing speeds of up to 45 m/min. Gas, steam, and thermal oil heating.

DR SERIES FEEDERS

DR series feeders comprise a range of different models and versions that adapt to the key parameters in feeding systems: production, quality, type of laundry, and budget.



DRE

DRC

DRBS

DRE: is Girbau's most versatile, productive, and high-speed feeder ever. It is flexible enough to feed a wide variety of item types into a corresponding ironer while delivering superior quality results in less time.

DRC: high-speed feeder with cornerless technology for fast feeding of sheets.

DRBS: is a versatile, high output automatic feeder. You can feed up to 900 pieces/articles per hour. With manual feeding in 4 lanes.



DRM PRO

DR1 PRO

DRM PRO: is a manual feeder. It increases the feeding quality, improves productivity, and makes the operator's labor easier. Up to 450 articles can be processed per hour on a single lane with two people.

DR1 PRO: Allows one person to feed in up to 300 pieces of linen per hour.

FR SERIES FOLDERS



MODEL

FR+

FRB

Girbau offers a solution for any folding requirement.

The FR series folders offer reliability, productivity, and top finishing quality in folding.

STACKERS



MODEL

AP+ / 2AP+

APB 1 / 2

A range of stackers that integrated into Girbau's folders fulfill all folding and stacking needs.

FT SERIES INDEPENDENT FOLDERS



MODEL

FTLITE

FTTOPFOLD

FTMAXI

FTB

The FT folder range can fold any type of item with efficiency and quality, adapting to the demands of each particular laundry. With the FT folders, Girbau reinforces its Easy & Best Solutions philosophy: creating flexible laundry solution packages adapted to any sector so that each customer can easily find the solution they are looking for in terms of laundry products and services.

FINISHING

IRONING TABLES



PRESS



FORM FINISHERS



MODEL	S/AAR S/AVR S/AVC	S/MP4 S/EIP4	S/AV S/VC	S/MTA S/MTV
-------	-------------------	--------------	-----------	-------------

Professional finishing equipment for numerous applications.

TROLLEYS/TRANSPORT

MOVING BOTTOM TROLLEY



HANGER TROLLEY



KANGAROO TROLLEY



WET LINEN TROLLEY



SHELF TROLLEY



CONTAINER TROLLEY



Solutions for the transport and storage of any type of laundry.



MODEL	OPL	VENDED
-------	-----	--------

Run your Girbau vended or OPL laundry remotely. Compatible with GS7, S6, ED, and PB.

OPL:
Complete control of productivity and efficiency, reports, and issues with the machines and laundry. Customer management and online editing programs. Monitoring disinfection parameters with the Disinfection Monitoring Package (DMP)

Vended:
Full control of your business, usage, and billing with all your reports. SMS alerts for issues on machines, with the possibility of remotely start cycles and spins, stop cycles and take machines out of service. Possibility to monitor the payment station with the Kiosk Monitoring Package (KMP)



MODEL	MOBILE LAUNDRY	MOBILE LAUNDRY MINI
-------	----------------	---------------------

Plug&Play: 360° solution in container format.

Mobile Laundry by Girbau is the best solution for running new locations such as fuel stations, supermarkets, and shopping centers.

The electrical, plumbing, and gas installations are made of high-quality materials, optimized for easy maintenance, and laid out to maximize space.



GIRBAU

P01996 22/03



GIRBAU.COM